

236 Maddington Road Maddington 6109  
Western Australia  
Ph: 08 9493 7948 Fax: 08 9493 2414  
Email: ozgel@iinet.net.au  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 1/9

**40290 - CLEAR GLAS**

## Information Sheet

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: 40290  
Product name: CLEAR GLAS

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Rubbing compound for car glass

#### 1.3. Details of the supplier of the safety data sheet

Name: GELSON SRL  
Full address: Via Varese 11/13  
District and Country: 20020 Lainate (MI) Italia  
Tel. +39 02 9370640  
Fax +39 02 93797341

e-mail address of the competent person responsible for the Safety Data Sheet: info@gelson.it

Australian distributor: OZ-GEL  
236 Maddington Rd  
Maddington 6109 Western Australia  
ozgel@iinet.net.au

Australian distributor phone number: 0418 913 426 (general information)  
Local Distributor

#### 1.4. Emergency telephone number

For urgent inquiries refer to: POISONS INFORMATION CENTRE  
Australia Tel. 13 11 26  
New Zealand Tel. 0800 764 766

### SECTION 2. Hazards identification.

#### 2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

#### 2.2. Label elements.

Hazard pictograms: --

Signal words: --

Hazard statements: --

Precautionary statements:

236 Maddington Road Maddington 6109  
Western Australia  
Ph: 08 9493 7948 Fax: 08 9493 2414  
Email: ozgel@inet.net.au  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 2/9

## 40290 - CLEAR GLAS

--

### 2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## SECTION 3. Composition/information on ingredients.

### 3.1. Substances.

Information not relevant.

### 3.2. Mixtures.

Contains:

Identification.	Conc. %.	Classification 1272/2008 (CLP).
<b>Fluoruri di terre rare</b>		
CAS. 68188-85-2	1 - 5	
EC. 269-166-1		
INDEX. -		

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures.

### 4.1. Description of first aid measures.

Not specifically necessary. Observance of good industrial hygiene is recommended.

### 4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

### 4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

## SECTION 5. Firefighting measures.

### 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

**236 Maddington Road Maddington 6109**  
**Western Australia**  
**Ph: 08 9493 7948 Fax: 08 9493 2414**  
**Email: ozgel@iinet.net.au**  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 3/9

## 40290 - CLEAR GLAS

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.  
**UNSUITABLE EXTINGUISHING EQUIPMENT**  
None in particular.

### 5.2. Special hazards arising from the substance or mixture.

**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**  
Do not breathe combustion products.

### 5.3. Advice for firefighters.

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures.

### 6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage.

### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

236 Maddington Road Maddington 6109  
Western Australia  
Ph: 08 9493 7948 Fax: 08 9493 2414  
Email: ozgel@iinet.net.au  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 4/9

## 40290 - CLEAR GLAS

### 7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s).

Information not available.

## SECTION 8. Exposure controls/personal protection.

### 8.1. Control parameters.

Regulatory References:

FRA France JORF n°0109 du 10 mai 2012 page 8773 texte n° 102  
TLV-ACGIH ACGIH 2014

### Fluoruri di terre rare Threshold Limit Value.

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
VLEP	FRA	2,5			
TLV-ACGIH		2,5			

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

### 8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

#### HAND PROTECTION

None required.

#### SKIN PROTECTION

None required.

#### EYE PROTECTION

None required.

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

236 Maddington Road Maddington 6109  
Western Australia  
Ph: 08 9493 7948 Fax: 08 9493 2414  
Email: ozgel@iinet.net.au  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 5/9

## 40290 - CLEAR GLAS

### ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties.

### 9.1. Information on basic physical and chemical properties.

Appearance	paste
Colour	black
Odour	no odour
Odour threshold.	Not available.
pH.	Not available.
Melting point / freezing point.	Not available.
Initial boiling point.	Not available.
Boiling range.	Not available.
Flash point.	> 60 °C.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.
Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	1,300 Kg/l
Solubility	Not available.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

### 9.2. Other information.

VOC (Directive 1999/13/EC) :	0,67 % - 8,71 g/litre.
VOC (volatile carbon) :	0,32 % - 4,12 g/litre.

## SECTION 10. Stability and reactivity.

### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

236 Maddington Road Maddington 6109  
Western Australia  
Ph: 08 9493 7948 Fax: 08 9493 2414  
Email: ozgel@inet.net.au  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 6/9

## 40290 - CLEAR GLAS

### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials.

Information not available.

### 10.6. Hazardous decomposition products.

Information not available.

## SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

### 11.1. Information on toxicological effects.

Information not available.

## SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

### 12.1. Toxicity.

Information not available.

### 12.2. Persistence and degradability.

Information not available.

### 12.3. Bioaccumulative potential.

Information not available.

### 12.4. Mobility in soil.

Information not available.

236 Maddington Road Maddington 6109  
Western Australia  
Ph: 08 9493 7948 Fax: 08 9493 2414  
Email: ozgel@iinet.net.au  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 7/9

## 40290 - CLEAR GLAS

### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects.

Information not available.

## SECTION 13. Disposal considerations.

### 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.  
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
CONTAMINATED PACKAGING  
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information.

### 14.1. UN number.

Not applicable.

### 14.2. UN proper shipping name.

Not applicable.

### 14.3. Transport hazard class(es).

Not applicable.

### 14.4. Packing group.

Not applicable.

### 14.5. Environmental hazards.

Not applicable.

### 14.6. Special precautions for user.

236 Maddington Road Maddington 6109  
Western Australia  
Ph: 08 9493 7948 Fax: 08 9493 2414  
Email: ozgel@inet.net.au  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 8/9

## 40290 - CLEAR GLAS

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

## SECTION 15. Regulatory information.

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisation (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

Product not intended for uses provided for by Dir. 2004/42/CE.

### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

## SECTION 16. Other information.

LEGEND:



**236 Maddington Road Maddington 6109**  
**Western Australia**  
**Ph: 08 9493 7948 Fax: 08 9493 2414**

**Email: ozgel@iinet.net.au**  
A J & A J Hubycki & Oz-Gel Imports Pty Ltd T/as OZ-GEL  
ABN: 38 926 088 116



Revision nr. 5  
Dated 08/09/2015  
Printed on 08/08/2017  
Page n. 9/9

## 40290 - CLEAR GLAS

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labelling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
  2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
  3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
  4. Regulation (EU) 2015/830 of the European Parliament
  5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
  6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
  7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
  8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
  9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - ECHA website

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

### Changes to previous review:

The following sections were modified:

15.